

**ADDENDUM # 2**

(Page 1 of 2)

**ASBESTOS ABATEMENT PROJECT  
FOR  
FRUITPORT COMMUNITY SCHOOLS  
AT  
FUTURE FRUITPORT COMMUNITY SCHOOLS ADMINISTRATION BUILDING**

Prepared By:

**ARM Industrial & Environmental Consultants, LLC**  
18430 195<sup>th</sup> Ave., Suite C  
Big Rapids, Michigan 49307

January 9, 2024

**SPECIFICATION # 0000242**

**PART 1 – GENERAL INFORMATION, Section 1.3 Scope of Work, Paragraph B, Future Fruitport Community Schools Administration Building, Page 14 – is corrected to read as follows: *(See Next Page)***

**ADDENDUM # 2**  
(Page 2 of 2)

**Future Fruitport Community Schools Administration Building (Base Bid)**

Homogeneous Area Name	Location/ Est. Quantity
ARM 02 – TRANSITE SOFFIT (1970 Original Construction)	1. East side of Building, adjacent to Main Entry Door [4 Panels – 60 S.F.]  <p align="right"><b>Total: 60 S.F.</b></p>
ARM 04 – DRYWALL JOINT COMPOUND (1970 Original Construction)  <b>*Contractor will be required to verify presence or absence of floor tile under 2' X 4' studded Drywall Walls. If floor tile is present you will be required to demo the studs to gain access to the floor tile and mastic whereas to perform removal.</b>	1. All Drywall/Drywall Joint Compound located throughout 1 <sup>st</sup> floor and Basement (Excludes Kitchen) 2. 1 <sup>st</sup> Floor SW Entryway [140 S.F.] 3. 1 <sup>st</sup> Floor N/S Hallway [1,400 S.F.] 4. 1 <sup>st</sup> Floor SE Furnace Room [460 S.F.] 5. 1 <sup>st</sup> Floor SE Office Area (3 Offices and Large Room) [1,608 S.F.] 6. 1 <sup>st</sup> Floor Stock Room [100 S.F.] 7. 1 <sup>st</sup> Floor Lobby [240 S.F.] 8. 1 <sup>st</sup> Floor Main Entry Vestibule [200 S.F.] 9. 1 <sup>st</sup> Floor Receptionist Office (adj. to Lobby) [200 S.F.] 10. 1 <sup>st</sup> Floor NE Office Area (3 Offices and Large Room) [1,950 S.F.] 11. 1 <sup>st</sup> Floor NE Office Area S. Storage Room [210 S.F.] 12. 1 <sup>st</sup> Floor NE Office Area N. Storage Room [225 S.F.] 13. 1 <sup>st</sup> Floor Operations Office [375 S.F.] 14. 1 <sup>st</sup> Floor Ladies Restroom [350 S.F.] 15. 1 <sup>st</sup> Floor Lunchroom [545 S.F.] 16. 1 <sup>st</sup> Floor Production Area [1,400 S.F.] 17. 1 <sup>st</sup> Floor Men's Restroom [544 S.F.] 18. Basement/Basement Hallway [1,050 S.F.]  <p align="right"><b>Total: 10,889 S.F.</b></p>

\_\_\_\_\_  
Date Received

\_\_\_\_\_  
Authorized Signature

**A SIGNED COPY OF THIS ADDENDUM MUST BE INCLUDED WITH BID or emailed to:**

ARM Industrial & Environmental Consultants, LLC  
 18430 195th Ave., Suite C  
 Big Rapids, Michigan 49307  
[armindenicons@att.net](mailto:armindenicons@att.net)